### CUSTOMER ASSISTANCE GUIDE BUILDING PERMIT APPLICATION SUBMITTAL REQUIREMENTS MANUFACTURED AND INDUSTRIALIZED HOUSING

•	T. 6	he sections listed below prior to submitting your
	"Affidavit of Exemption" (See attached form) If you are hiring a corworkers' compensation, have the contractor or their insurance cashowing proof of such. If the homeowner or a contractor with structure, the attached form must be completed and notarized.	arrier provide us with a "Certificate of Insurance"
	A site plan showing the proposed dwelling, the outside dimensio side and rear property lines; and the height of floor surface abo exterior of main exit door.	
	_ Septic permit if applicable Sewer permit if applicab	ole.
	Two (2) sets of construction drawings that show in detail code of but not limited to the following information;  Installation shall comply with Title 24 CFR 3285 (see attached for Footing detail. Thickness and depth below frost line.  Size of masonry units for foundation (piers or full foundati Type, size, and placement of anchorage for the structure A copy of the manufacturer's specifications and installation Electrical. Service size and location Plumbing.  Mechanical if applicable.  Main exit door – 36" x 36" landing on exterior (required). Installation by certified installer required, please insert ce  EXTERIOR DECK WHERE REQUIRED:  Floor joist size, species and grade of wood.  Floor joist spacing (16" or center, 24" on center e Span of floor joist (clear distance between suppondent post footing below finished grade.  Guardrail height from floor or deck, and/or stairs.  Spacing of balusters. (maximum 4").  Stairs – Riser height and tread depth (riser 8 ½" in Stairs – Handrail height (from nose of tread). (min Handrail grip size – must have a circular cross see Width of stairs (36" minimum)  Guardrail (34" minimum measured vertically from	m). (New Homes) ons). to the foundation. on instructions.  rtification number  tc:). rts).  max tread 9" min.). nimum 34", maximum 38") ection of 1 1/4" minimum to 2" maximum.
	Type of Foundation (circle the type yo	ou are using)
1. Set o	on full basement 2. Crawl space	3. Piers
	ted yes (provide wall R-values) A. Cross ventilation	A. Spacing
	Garage in basement Stairs	B. Diameter C. Depth D. Type of skirting

MDIA will review plans submitted to determine code compliance. If the minimum submittal requirements are not met, we will ask the applicant to supply additional information. If the minimum requirements are met, the plans will be marked "approved". A building permit will be issued and the applicant will be notified of the inspection fees and when they can pick-up the permit at the Municipal Building. All fees shall be paid prior to the issuance of the permit. Then use the inspection procedures provided to have all of the required inspections performed.

Completed building permit application.

#### INSPECTION PROCEDURES MANUFACTURED AND INDUSTRIALIZED HOUSING

- Building permit must be posted on the site of the work and clearly visible from the road until
  completion of the project.
- Your approved plans must be available at all times, for inspection. These are the plans that were submitted with your application and were marked "Approved" by the building code official.
- The permit applicant is responsible for scheduling all inspections. If you're using a General Contractor, then she/he should take care of scheduling all the necessary inspections.
- DO NOT schedule an inspection if the work is not ready!!!!
- When scheduling an inspection, you must supply your permit number to the inspector.

### PLEASE GIVE THREE (3) WORKING DAYS ADVANCE NOTICE FOOTING INSPECTION WILL BE GIVEN PRIORITY

#### MIDDLE DEPARTMENT INSPECTION AGENCY, INC.

- Footing inspection To be done after trenching or forming and prior to placing of concrete.
   Inspector: Josh Smith Phone: 412-292-0396
  - 1 11011c. 412 232 0330
- 2. Foundation inspection French drain and water proofing if full foundation is installed.

Inspector: Josh Smith Phone: 412-292-0396

3. Anchoring of structure to foundation.

Inspector: Josh Smith Phone: 412-292-0396

4. Verification of field connected crossovers, structural connections, etc

Inspector: Josh Smith Phone: 412-292-0396

5. Electrical inspection – installation of service from supplier to home.

Inspector: Josh Smith Phone: 412-292-0396

6. Plumbing connections.

Inspector: Josh Smith Phone: 412-292-0396

7. Final inspection – when job is completely finished, prior to occupancy permit and after all other required inspections have been done and approved. Inspections #3, #5, #6 and #7 may be done at the same time. All utilities and fuel systems shall be operational. Provide completed installers certificate and HUD form 309.

Inspector: Josh Smith Phone: 412-292-0396

BEFORE DIGGING CALL 811 – SEE ATTACHED BROCHURE

#### **THIS FORM REQUIRES A NOTARY SEAL**

#### **AFFIDAVIT OF EXEMPTION**

	s not required to provide workers compensation insurance under orkers' Compensation Law for one of the following reasons, as	
any work pursuant to	ning own work. If property owner does hire contractor to perform building permit, contractor must provide proof of workers' to the municipality. Homeowner assumes liability for contractor quirement.	
to perform work pursua	Contractor has no employees. Contractor prohibited by law from employing any individual to perform work pursuant to this building permit unless contractor provides proof of insurance to the municipality.	
	der the Workers' Compensation Law. All employees of rom workers' compensation insurance (attach copies of religious employees).	
Signature of Applicant	-	
County of		
Municipality of		
	Subscribed, sworn to and acknowledged before me by the above this Day of 20	
SEAL		
	Notary Public	

## no accident! Safe digging is

Know what's below.

**Dial 8-1-1** before you dig.





#### RED BLUE PINK WHITE PURPLE ORANGE YELLOW GREEN Proposed Excavation Sewers and Drain Lines Reclaimed Water, Imgation and Slurry Lines Communication, Alarm or Signal Lines, Cables or Conduit and Traffic Loops Electric Power Lines, Cables, Conduit and Lighting Cables Potable Water Gas, Oil, Steam, Petroleum or Gaseous Materials, Hazardous Materials Temporary Survey Markings

**TEMPORARY MARKING GUIDELINES** 

The following information is needed when you call PA One Call System.

YOUR TELEPHONE NUMBER
YOUR MAILING ADDRESS
COUNTY - The name of the county where the work will take place MUNICIPALITY - City, Township or Borough where the

WORK WILL TAKE PLACE
THE ADDRESS WHERE THE WORK WILL TAKE PLACE
THE NEAREST INTERSECTING STREET TO THE WORK SITE THE NAME OF A SECOND INTERSECTION NEAR THE

MARKED IN WHITE - Yes or No
OTHER INFORMATION THAT WOULD HELP THE WORK SITE
IS THE PROPOSED EXCAVATION AREA (WORK SITE)

LOCATOR FIND THE SITE - Clarifying information to

Sidewalk, Public or Private Property
THE APPROXIMATE DEPTH YOU ARE DIGGING
THE EXTENT OF THE EXCAVATION - The approximate
size of the opening; the length and width or dameter
THE METHOD OF EXCAVATION - How will the earth be specify the exact location of the dig THE TYPE OF WORK BEING DONE WHETHER THE WORK WILL TAKE PLACE IN: Street,

WHO IS THE WORK BEING DONE FOR PERSON TO CONTACT IF THE UTILITIES HAVE QUESTIONS

THE CONTACT PERSON'S PHONE NUMBER - The

responses from the facility owners will be sent to you SCHEDULED EXCAVATION DATE AND START TIME – phone number with area code for daytime contact
THE BEST TIME TO CALL FAX NUMBER AND/OR EMAIL ADDRESS - The not less than 3 business days or more than 10

DURATION OF A JOB - How long will the job take ANY ADDITIONAL REMARKS YOU MAY HAVE

You will be given a 10 digit serial number as confirmation of your call and our system will send you the responses from the utilities on the morning of your scheduled excavation date via fax or email



# What do we do?

We are the "Call before you dig!" company for all of Pennsylvania. If you plan to disturb the earth with powered equipment, you are required by Pennsylvania law to notify the underground utility companies of your intent to do so. Notification occurs by calling 8-1-1 or 1-800-242-1776, 24 hours of the day, every day of the year. Notification can also be done on our website at www.paonecall.org.

We will then notify the utility companies nearby of your intent to dig. The utility companies are responsible to mark where their underground lines are located with colored flags, paint or chalk.

## Please Note:

- PA One Call does not mark utility lines.
- In some cases, the utility company may not mark the service lines you own.
- o If you need your sewer drain cleared be sure to check www.paonecall.org/crossbore for Call Before You Clear information or call 811 for more information.

## Why should you call?

Safe digging is no accident! If you are installing a fence or deck, or digging for a mailbox post, patio or other excavation project, it is important to Know What's Below. Dial 8-1-1 or 1-800-242-1776 before you dig. The utility companies do not want an accident, either. The best way to learn where underground utility lines are located is to call before you dig.

For more information, visit www.pa811.org



## Homeowner Quick Tips

- One easy phone call to 8-1-1 three to ten business days before digging begins helps keep your neighborhood safe.
- Call on Monday or Tuesday if you plan to dig on Saturday or Sunday.
- The utility companies will mark where their underground lines are located with colored paint, flags or chalk.
- Do not remove the flags if you see them in your yard.
- Our service is no cost to homeowners.
- Did you hire someone to install your fence, deck or new patio? Ask to see the PA One Call serial number before allowing them to dig on your property.

# The Excavator's Responsibility

- Dial 8-1-1 or 1-800-242-1776.
- Do not allow anyone to excavate on your property without calling.
- Always look for the markings on the ground before your dig date.
- If you do not see markings, do not allow anyone to dig. Wait for the lines to be marked by the utility.
- Whoever places the call will receive an email or fax with a list of facility owners who have marked or have not marked.
   Pay attention to this message.
- Respect the markings by not removing flags or disturbing the actual markings.
- Exercise care around the marked lines by hand digging
- When the project is complete, the excavator should remove the flags or marks from the ground or pavement.
- Report mishaps by dialing 8-1-1.
  Report emergencies by dialing 9-1-1.